

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (currently amended) A hair brush for cutting hair in which multiple bristles having a longitudinal direction are set wherein the longitudinal direction is upright on a brush body, wherein a cutter having a longitudinal axis is provided with a cutting edge is set parallel to and facing the longitudinal direction of the bristles and upright nearby said bristles.

2. (currently amended) A hair brush according to claim 1, wherein the cutting edge of said cutter is disposed so as to face opposite the bristles, wherein hair is forcibly bundled between the cutting edge and the bristles, so as to bundle the hair and cut the hair.

3. (currently amended) A hair brush according to claim 1, wherein said cutter is set upright in a specific region in an area of the hair brush **body** which is less than an entire length of the brush, wherein excessive amounts of hair are not cut.

4. (cancelled)

5. (original) A hair brush according to claim 1, wherein the height of the cutting edge of said cutter is set lower than the height of the bristles.

6. (currently amended) A hair brush according to claim 1, wherein ~~[[the]]~~ a height of the cutting edge of said cutter is roughly equal to the height of the bristles, and a protective member for the scalp is provided on ~~[[the]]~~ an upper end of the cutter.

7. (currently amended) A hair brush according to claim 1, wherein said cutter and bristles are inclined so as to ~~come apart~~ separate gradually, wherein a increasing the distance therebetween between the cutter and bristles is increased ~~[[,]]~~ in ~~[[the]]~~ upward and outward directions from the body.

8. (original) A hair brush according to claim 1, wherein the cross section of the bristles adjacent to said cutter on the cutting edge side of said cutter is at least in the form of a circular arc.

9. (currently amended) A hair brush according to claim 1, wherein a cover with ~~an approximately~~ a U-shaped cross section in a plane perpendicular to the longitudinal axis of the bristles in areas where a cutting edge is exposed, ~~is provided~~, wherein the cutting edge of the cutter is accommodated inside the cover so as to be

exposed through an opening in the cover, and projections protruding slightly beyond the extension line of the cutting edge in the direction perpendicular to the extension line of the cutting edge of the cutter are provided with constant spacing in said cover to prevent cutting edge exposure.

10. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit for a hair brush in which bristles are set upright in a cutting unit base, a cutter provided with a cutting edge is set upright nearby the bristles, and the cutting edge of the cutter is disposed so as to face the bristles is provided so that it can be attached to the brush body and detached therefrom.

11. (withdrawn) A hair brush according to claim 1, wherein said cutting unit is provided so that it can be attached to the brush body and detached therefrom.

12. (withdrawn) A hair brush according to claim 1, wherein a fitting hole is provided in said brush body and the cutting unit base of said replaceable cutting unit for a hair brush is configured so as to correspond to the fitting hole.

13. (currently amended) A hair brush in which multiple bristles are set upright on a brush body, according to claim 1, wherein

[[both]] bristles on which cutters are mounted serve ~~also serving~~
as holding members for cutters, ~~on which the cutters are mounted,~~
and bristles which are not provided with cutters are set upright
on the brush body, and [[the]] wherein cutting edges of said
cutters are arranged so as to face the bristles which are not
provided with cutters.

14. (withdrawn) A hair brush in which multiple bristles are set
upright on a brush body, wherein

a cutter with height less than the height of the bristles is
provided in a certain region of the brush body between the
bristles, and the cutting edge of the cutter is directed to the
outside of the brush body and is disposed so as to be separated
from the brush body.

15. (withdrawn) A hair brush according to claim 1, wherein a
replaceable cutting unit is provided in which bristles are set
upright in a cutting unit base and the cutter comprising a
cutting edge is set upright nearby said bristles.

16. (withdrawn) A hair brush according to claim 1, wherein a
replaceable cutting unit is provided in which bristles are set
upright in the cutting unit base, the cutter comprising a cutting
edge is set upright nearby said bristles, and the cutting edge of
the cutter is disposed so as to face the bristles.

17. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which a cutter is set upright in a cutting unit base.

18. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which a cutting edge of the cutter is disposed so as to face the adjacent bristles.

19. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which the height of the cutting edge of said cutter is set lower than the height of the bristles.

20. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which the height of the cutting edge of said cutter is almost equal to the height of the bristles, and a protective member for the scalp is provided on the upper end of the cutter.

21. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which said cutter and bristles are inclined so as to come apart gradually, increasing the distance therebetween, in the upward direction.

22. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which the cross section of the bristles adjacent to said cutter on the cutting edge side of said cutter is at least in the form of a circular arc.

23. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which a cover with an approximately U-shaped cross section is provided, the cutting edge of the cutter is accommodated inside the cover so as to be exposed through an opening in the cover, and projections protruding slightly beyond the extension line of the cutting edge in a direction perpendicular to the extension line of the cutting edge of the cutter are provided with constant spacing in said cover.

24. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which both bristles also serving as holding members for cutters, on which the cutters are mounted, and bristles not provided with said cutters are set upright on a cutting unit base, and the cutting edges of said cutters are arranged so as to face the bristles which are not provided with cutters.

25. (withdrawn) A hair brush according to claim 1, wherein a replaceable cutting unit is provided in which a pair of support

S/N: 10/689,354

9/8/2006

Docket No.: 25903.0002

members for a cutter are set upright with a constant spacing therebetween on a cutting unit base, and a cutting edge of the cutter is disposed between the pair of support members for a cutter so as to be directed outward of the cutting unit base and to be separated from the cutting unit base.